



Channel Hookup

Channel	Addr	Position	U#	Instrument Type & Accessory & Load	Purpose	Color & Gobo	Color System
(1)	1/1	FOH 2	6	ETC Source4 36deg 575w	FRONT	R53 + R119	
	"	"	7	"	"	"	
(2)	1/13	FOH 2	4	ETC Source4 36deg 575w	FRONT	R53 + R119	
	"	"	5	"	"	"	
(3)	1/3	FOH 2	2	ETC Source4 36deg 575w	FRONT	R53 + R119	
	"	"	3	"	"	"	
(4)	1/14	#1 Pipe	6	ETC Source4 36deg 575w	FRONT	R53 + R119	
(5)	1/15	#1 Pipe	3	ETC Source4 36deg 575w	FRONT	R53 + R119	
	"	"	4	"	"	"	
(6)	1/26	#1 Pipe	1	ETC Source4 36deg 575w	FRONT	R53 + R119	
(7)	1/11	#1 Pipe	5	ETC Source4 Jr Zoom 575w	FRONT	R53 + R119	
(8)	1/34	#1 Pipe	2	ETC Source4 Jr Zoom 575w	FRONT	R53 + R119	
(11)	1/20	J Pipe	1	ETC Source4 50deg 575w	FRONT	R53 + R119	
(12)	2/259	#3 Pipe	4	ETC Source4WRD 36deg 155w	FRONT	R53 + R119	
(13)	1/16	J Pipe	2	ETC Source4 50deg 575w	FRONT	R53 + R119	
(14)	2/260	#4 Pipe	2	ETC Source4WRD 36deg 155w	FRONT	R53 + R119	



Channel Hookup

Channel	Addr	Position	U#	Instrument Type & Accessory & Load	Purpose	Color & Gobo	Color System
(15)	1/18	J Pipe	3	ETC Source4 50deg 575w	FRONT	R53 + R119	
(16)	2/261	#5 Pipe	8	ETC Source4WRD 36deg 155w	FRONT	R53 + R119	
(17)	1/17	J Pipe	4	ETC Source4 50deg 575w	FRONT	R53 + R119	
(21)	2/262	#3 Pipe	1	ETC Source4WRD 36deg 155w	FRONT	R53 + R119	
(22)	1/8	A Pipe	1	ETC Source4 50deg 575w	FRONT	R53 + R119	
(23)	2/263	#4 Pipe	1	ETC Source4WRD 36deg 155w	FRONT	R53 + R119	
(24)	1/23	A Pipe	2	ETC Source4 50deg 575w	FRONT	R53 + R119	
(25)	2/264	#5 Pipe	1	ETC Source4WRD 36deg 155w	FRONT	R53 + R119	
(26)	1/22	A Pipe	3	ETC Source4 50deg 575w	FRONT	R53 + R119	
(27)	1/21	A Pipe	4	ETC Source4 50deg 575w	FRONT	R53 + R119	
(31)	1/35	FOH 1	2	ETC Source4 Jr Zoom 575w	HL VOM ENTRANCE	<input type="checkbox"/> N/C	
(32)	1/38	F Pipe	2	ETC Source4 36deg 575w	HL VOM ENTRANCE	<input type="checkbox"/> N/C	
(41)	1/25	FOH 1	1	ETC Source4 Jr Zoom 575w	HR VOM ENTRANCE	<input type="checkbox"/> N/C	
(42)	1/41	D Pipe	2	ETC Source4 36deg 575w	HR VOM ENTRANCE	<input type="checkbox"/> N/C	



Channel Hookup

Channel	Addr	Position	U#	Instrument Type & Accessory & Load	Purpose	Color & Gobo	Color System
(51)	1/56	FOH 2	8	ETC Source4 Jr Zoom 575w	UPSTAGE FILL	R53	
(52)	1/57	FOH 2	1	ETC Source4 Jr Zoom 575w	UPSTAGE FILL	R53	
(101)	1/39	G Pipe	3	ETC Source4 PAR WFL 575w	WARM TOP	R17	
(102)	1/40	F Pipe	4	ETC Source4 PAR WFL 575w	WARM TOP	R17	
(103)	1/42	D Pipe	4	ETC Source4 PAR WFL 575w	WARM TOP	R17	
(104)	1/45	C Pipe	3	ETC Source4 PAR WFL 575w	WARM TOP	R17	
(105)	1/36	G Pipe	5	ETC Source4 PAR WFL 575w	WARM TOP	R17	
(106)	1/37	F Pipe	1	ETC Source4 PAR WFL 575w	WARM TOP	R17	
(107)	1/43	D Pipe	1	ETC Source4 PAR WFL 575w	WARM TOP	R17	
(108)	1/44	C Pipe	5	ETC Source4 PAR WFL 575w	WARM TOP	R17	
(201)	1/58	#2 Pipe	3	ETC Source4 50deg+Light Acc SL B Template Holder 575w	GOBO	R89, T:R78217	
(202)	1/29	#2 Pipe	1	ETC Source4 50deg+Light Acc SL B Template Holder 575w	GOBO	R89, T:R78217	
(203)	1/6	#6 Pipe	8	ETC Source4 50deg+Light Acc SL B Template Holder 575w	GOBO	N/C, T:R78217	
(204)	1/12	#6 Pipe	1	ETC Source4 50deg+Light Acc SL B Template Holder 575w	GOBO	N/C, T:R78217	



Channel Hookup

Channel	Addr	Position	U#	Instrument Type & Accessory & Load	Purpose	Color & Gobo	Color System
(211)	1/9	Scenery	1	ETC Source4 36deg 575w	SHADOW PUPPET LIGHT	<input type="checkbox"/> N/C	
(301)	2/1	G Pipe	2	Chauvet COLORdash Par H7 IP 66w	TOP LED		RGBWAUV
(302)	2/14	F Pipe	5	Chauvet COLORdash Par H7 IP 66w	TOP LED		RGBWAUV
(303)	2/27	D Pipe	5	Chauvet COLORdash Par H7 IP 66w	TOP LED		RGBWAUV
(304)	2/40	C Pipe	2	Chauvet COLORdash Par H7 IP 66w	TOP LED		RGBWAUV
(305)	2/53	G Pipe	4	Chauvet COLORdash Par H7 IP 66w	TOP LED		RGBWAUV
(306)	2/66	F Pipe	3	Chauvet COLORdash Par H7 IP 66w	TOP LED		RGBWAUV
(307)	2/79	D Pipe	3	Chauvet COLORdash Par H7 IP 66w	TOP LED		RGBWAUV
(308)	2/92	C Pipe	4	Chauvet COLORdash Par H7 IP 66w	TOP LED		RGBWAUV
(309)	2/105	#5 Pipe	7	Chauvet COLORdash Par H7 IP 66w	TOP LED		RGBWAUV
(310)	2/118	#5 Pipe	5	Chauvet COLORdash Par H7 IP 66w	TOP LED		RGBWAUV
(311)	2/131	#5 Pipe	4	Chauvet COLORdash Par H7 IP 66w	TOP LED		RGBWAUV
(312)	2/144	#5 Pipe	2	Chauvet COLORdash Par H7 IP 66w	TOP LED		RGBWAUV
(401)	2/157	#6 Pipe	7	Chauvet COLORdash Par Hex 7 54w	BACK LED		RGBWAUV
(402)	2/170	#6 Pipe	6	Chauvet COLORdash Par Hex 7 54w	BACK LED		RGBWAUV



Channel Hookup

Channel	Addr	Position	U#	Instrument Type & Accessory & Load	Purpose	Color & Gobo	Color System
(403)	2/183	#6 Pipe	5	Chauvet COLORdash Par Hex 7 54w	BACK LED		RGBWAUV
(404)	2/196	#6 Pipe	4	Chauvet COLORdash Par Hex 7 54w	BACK LED		RGBWAUV
(405)	2/209	#6 Pipe	3	Chauvet COLORdash Par Hex 7 54w	BACK LED		RGBWAUV
(406)	2/22	#6 Pipe	2	Chauvet COLORdash Par Hex 7 54w	BACK LED		RGBWAUV
(501)	2/235	H Pipe	3	Altman Phoenix 36 250w	HI SIDE LED		RGBA
(502)	2/239	H Pipe	2	Altman Phoenix 36 250w	HI SIDE LED		RGBA
(503)	2/243	H Pipe	1	Altman Phoenix 36 250w	HI SIDE LED		RGBA
(504)	2/247	B Pipe	3	Altman Phoenix 36 250w	HI SIDE LED		RGBA
(505)	2/251	B Pipe	2	Altman Phoenix 36 250w	HI SIDE LED		RGBA
(506)	2/255	B Pipe	1	Altman Phoenix 36 250w	HI SIDE LED		RGBA
(601)	2/300	#3 Pipe	3	Chauvet Rogue R2 Spot 310w	SPOT MOVER		2 COLOR WHEELS
(602)	2/282	#3 Pipe	2	Chauvet Rogue R2 Spot 310w	SPOT MOVER		2 COLOR WHEELS
(701)	2/319	G Pipe	1	Chauvet Rogue R2 Wash 339w	WASH MOVER		RGBW
(702)	2/337	C Pipe	1	Chauvet Rogue R2 Wash 339w	WASH MOVER		RGBW
(703)	2/373	#5 Pipe	6	Chauvet Rogue R2 Wash 339w	WASH MOVER		RGBW



Channel Hookup

Channel	Addr	Position	U#	Instrument Type & Accessory & Load	Purpose	Color & Gobo	Color System
(704)	2/355	#5 Pipe	3	Chauvet Rogue R2 Wash 339w	WASH MOVER		RGBW
(801)	2/401	#7 Pipe	6	Chauvet ColorBand 3 IRC 86w	US TOP LED		RGB
(802)	2/411	#7 Pipe	5	Chauvet ColorBand 3 IRC 86w	US TOP LED		RGB
(803)	2/421	#7 Pipe	4	Chauvet ColorBand 3 IRC 86w	US TOP LED		RGB
(804)	2/431	#7 Pipe	3	Chauvet ColorBand 3 IRC 86w	US TOP LED		RGB
(811)	2/439	Scenery	3	Chauvet SlimPar 67 36w	FIRE FX		RGB
(812)	2/446	Scenery	2	Chauvet SlimPar 67 36w	FIRE FX		RGB
(901)	3/1	#2 Pipe	2	Martin Atomic 3000 DMX 3kW	STROBE		

ARCHIVED



TABLE OF CONTENTS

FOH 2	1	J Pipe	3
FOH 1	1	H Pipe	4
#1 Pipe	1	G Pipe	4
#2 Pipe	2	F Pipe	4
#3 Pipe	2	D Pipe	5
#4 Pipe	2	C Pipe	5
#5 Pipe	2	B Pipe	5
#6 Pipe	3	A Pipe	5
#7 Pipe	3	Scenery	6

ARCHIVAL



FOH 2

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr
1	UPSTAGE FILL	ETC Source4 Jr Zoom	575w	R53	(52)	1/57
2	FRONT	ETC Source4 36deg	575w	R53 + R119	(3)	1/3
3	FRONT	ETC Source4 36deg	575w	R53 + R119	(3)	1/3
4	FRONT	ETC Source4 36deg	575w	R53 + R119	(2)	1/13
5	FRONT	ETC Source4 36deg	575w	R53 + R119	(2)	1/13
6	FRONT	ETC Source4 36deg	575w	R53 + R119	(1)	1/1
7	FRONT	ETC Source4 36deg	575w	R53 + R119	(1)	1/1
8	UPSTAGE FILL	ETC Source4 Jr Zoom	575w	R53	(51)	1/56

FOH 1

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr
1	HR VOM ENTRANCE	ETC Source4 Jr Zoom	575w	N/C	(41)	1/25
2	HL VOM ENTRANCE	ETC Source4 Jr Zoom	575w	N/C	(31)	1/35

#1 Pipe

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr
1	FRONT	ETC Source4 36deg	575w	R53 + R119	(6)	1/26
2	FRONT	ETC Source4 Jr Zoom	575w	R53 + R119	(8)	1/34
3	FRONT	ETC Source4 36deg	575w	R53 + R119	(5)	1/15
4	FRONT	ETC Source4 36deg	575w	R53 + R119	(5)	1/15
5	FRONT	ETC Source4 Jr Zoom	575w	R53 + R119	(7)	1/11
6	FRONT	ETC Source4 36deg	575w	R53 + R119	(4)	1/14



#2 Pipe

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr
1	GOBO	ETC Source4 50deg+Light Acc SL B Template Holder	575w	R89, T: R78217	(202)	1/29
2	STROBE	Martin Atomic 3000 DMX	3kW		(901)	3/1
3	GOBO	ETC Source4 50deg+Light Acc SL B Template Holder	575w	R89, T: R78217	(201)	1/58

#3 Pipe

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr
1	FRONT	ETC Source4WRD 36deg	155w	R53 + R119	(21)	2/262
2	SPOT MOVER	Chauvet Rogue R2 Spot	310w		(602)	2/282
3	SPOT MOVER	Chauvet Rogue R2 Spot	310w		(601)	2/300
4	FRONT	ETC Source4WRD 36deg	155w	R53 + R119	(12)	2/259

#4 Pipe

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr
1	FRONT	ETC Source4WRD 36deg	155w	R53 + R119	(23)	2/263
2	FRONT	ETC Source4WRD 36deg	155w	R53 + R119	(14)	2/260

#5 Pipe

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr
1	FRONT	ETC Source4WRD 36deg	155w	R53 + R119	(25)	2/264
2	TOP LED	Chauvet COLORdash Par H7 IP	66w		(312)	2/144
3	WASH MOVER	Chauvet Rogue R2 Wash	339w		(704)	2/355
4	TOP LED	Chauvet COLORdash Par H7 IP	66w		(311)	2/131
5	TOP LED	Chauvet COLORdash Par H7 IP	66w		(310)	2/118
6	WASH MOVER	Chauvet Rogue R2 Wash	339w		(703)	2/373
7	TOP LED	Chauvet COLORdash Par H7 IP	66w		(309)	2/105
8	FRONT	ETC Source4WRD 36deg	155w	R53 + R119	(16)	2/261



#6 Pipe

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr
1	GOBO	ETC Source4 50deg+Light Acc SL B Template Holder	575w	N/C, T: R78217	(204)	1/12
2	BACK LED	Chauvet COLORdash Par Hex 7	54w		(406)	2/22
3	BACK LED	Chauvet COLORdash Par Hex 7	54w		(405)	2/209
4	BACK LED	Chauvet COLORdash Par Hex 7	54w		(404)	2/196
5	BACK LED	Chauvet COLORdash Par Hex 7	54w		(403)	2/183
6	BACK LED	Chauvet COLORdash Par Hex 7	54w		(402)	2/170
7	BACK LED	Chauvet COLORdash Par Hex 7	54w		(401)	2/157
8	GOBO	ETC Source4 50deg+Light Acc SL B Template Holder	575w	N/C, T: R78217	(203)	1/6

#7 Pipe

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr
3	US TOP LED	Chauvet ColorBand 3 IRC	86w		(804)	2/431
4	US TOP LED	Chauvet ColorBand 3 IRC	86w		(803)	2/421
5	US TOP LED	Chauvet ColorBand 3 IRC	86w		(802)	2/411
6	US TOP LED	Chauvet ColorBand 3 IRC	86w		(801)	2/401

J Pipe

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr
1	FRONT	ETC Source4 50deg	575w	R53 + R119	(11)	1/20
2	FRONT	ETC Source4 50deg	575w	R53 + R119	(13)	1/16
3	FRONT	ETC Source4 50deg	575w	R53 + R119	(15)	1/18
4	FRONT	ETC Source4 50deg	575w	R53 + R119	(17)	1/17



H Pipe

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr
1	HI SIDE LED	Altman Phoenix 36	250w		(503)	2/243
2	HI SIDE LED	Altman Phoenix 36	250w		(502)	2/239
3	HI SIDE LED	Altman Phoenix 36	250w		(501)	2/235

G Pipe

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr
1	WASH MOVER	Chauvet Rogue R2 Wash	339w		(701)	2/319
2	TOP LED	Chauvet COLORdash Par H7 IP	66w		(301)	2/1
3	WARM TOP	ETC Source4 PAR WFL	575w	● R17	(101)	1/39
4	TOP LED	Chauvet COLORdash Par H7 IP	66w		(305)	2/53
5	WARM TOP	ETC Source4 PAR WFL	575w	● R17	(105)	1/36

F Pipe

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr
1	WARM TOP	ETC Source4 PAR WFL	575w	● R17	(106)	1/37
2	HL VOM ENTRANCE	ETC Source4 36deg	575w	○ N/C	(32)	1/38
3	TOP LED	Chauvet COLORdash Par H7 IP	66w		(306)	2/66
4	WARM TOP	ETC Source4 PAR WFL	575w	● R17	(102)	1/40
5	TOP LED	Chauvet COLORdash Par H7 IP	66w		(302)	2/14



D Pipe

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr
1	WARM TOP	ETC Source4 PAR WFL	575w	R17	(107)	1/43
2	HR VOM ENTRANCE	ETC Source4 36deg	575w	N/C	(42)	1/41
3	TOP LED	Chauvet COLORdash Par H7 IP	66w		(307)	2/79
4	WARM TOP	ETC Source4 PAR WFL	575w	R17	(103)	1/42
5	TOP LED	Chauvet COLORdash Par H7 IP	66w		(303)	2/27

C Pipe

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr
1	WASH MOVER	Chauvet Rogue R2 Wash	339w		(702)	2/337
2	TOP LED	Chauvet COLORdash Par H7 IP	66w		(304)	2/40
3	WARM TOP	ETC Source4 PAR WFL	575w	R17	(104)	1/45
4	TOP LED	Chauvet COLORdash Par H7 IP	66w		(308)	2/92
5	WARM TOP	ETC Source4 PAR WFL	575w	R17	(108)	1/44

B Pipe

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr
1	HI SIDE LED	Altman Phoenix 36	250w		(506)	2/255
2	HI SIDE LED	Altman Phoenix 36	250w		(505)	2/251
3	HI SIDE LED	Altman Phoenix 36	250w		(504)	2/247

A Pipe

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr
1	FRONT	ETC Source4 50deg	575w	R53 + R119	(22)	1/8
2	FRONT	ETC Source4 50deg	575w	R53 + R119	(24)	1/23
3	FRONT	ETC Source4 50deg	575w	R53 + R119	(26)	1/22
4	FRONT	ETC Source4 50deg	575w	R53 + R119	(27)	1/21



Scenery

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Addr
1	SHADOW PUPPET LIGHT	ETC Source4 36deg	575w	<input type="checkbox"/> N/C	(211)	1/9
2	FIRE FX	Chauvet SlimPar 67	36w		(812)	2/446
3	FIRE FX	Chauvet SlimPar 67	36w		(811)	2/439

ARCHIVAL